

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L3 | 3828 | 370/252.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/15 07:01 |
| S1 | 902 | compressed adj2 header | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 12:42 |
| S2 | 3635 | compress\$3 near2 header | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 10:17 |
| S3 | 1 | S2 and (re\$transmission adj2 ratio) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 10:11 |
| S4 | 4 | S2 and (re\$transmission adj2 rat\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 13:17 |
| S5 | 4 | S2 and (re\$transmission adj2 (rat\$2 or proportion or percentage)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 10:22 |
| S6 | 9 | S2 and (re\$transmission near2 (rat\$2 or proportion or percentage)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 10:24 |
| S7 | 37 | S2 and (re\$transmission near2 (rat\$2 or proportion or percentage or number)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 11:00 |
| S8 | 7 | average near3 packet near3 (re\$transmission near2 (rat\$2 or proportion or percentage or number)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 11:03 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S9 | 1308 | ((schedul\$3 or choos\$3 or decid\$3 or determ\$5) with ((transmi\$7 or send\$3) near3 (time or period))) same (load\$3 or overload\$3) or (re\$transmission near2 (rat\$2 or proportion or percentage or number) same (full near2 packet) or (((uncompressed or noncompressed) adj2 header) near5 packet)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 12:42 |
| S10 | 4792 | (\$2compressed or full) adj2 (header or packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 12:45 |
| S11 | 4794 | (\$3compressed or full) adj2 (header or packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 12:48 |
| S12 | 1971 | S11 and ((transmi\$7 or send\$3) near3 (period or time)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 13:05 |
| S13 | 1498 | S12 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 14:56 |
| S14 | 1875 | S12 and (decid\$3 or determi\$3 or schedul\$3 or choos\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 13:10 |
| S15 | 46 | S14 and (operating near3 state) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 13:11 |
| S16 | 33 | S14 and (re\$transmission adj2 rat\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 16:12 |
| S17 | 166258 | determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 10:26 |
| | | | | | | |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S18 | 773 | S17 and ((compress\$3 or full) near3 packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 13:43 |
| S19 | 579 | S18 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:56 |
| S20 | 269 | S19 and ("370".clas. or "370".cxr.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 13:43 |
| S21 | 978 | S17 and ((compress\$3 or full) near3 (packet or header)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 13:43 |
| S22 | 359 | S21 and ("370".clas. or "370".cxr.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 10:31 |
| S23 | 291 | S22 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 13:44 |
| S26 | 25 | retransmission adj2 ratio | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/07 17:34 |
| S27 | 15 | (izawa and kenji).in. and nec.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 07:52 |
| S28 | 2 | "5701302".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 07:52 |
| S29 | 166421 | determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 16:43 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S30 | 773 | S29 and ((compress\$3 or full) near3 packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:15 |
| S31 | 25 | retransmission adj2 ratio | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 10:30 |
| S32 | 1 | S29 and S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 10:26 |
| S33 | 1 | S29 and retransmission adj2 ratio | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 10:31 |
| S34 | 1691 | S29 and retransmission | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:38 |
| S35 | 646 | S34 and ("370".clas. or "370".cxr.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 16:45 |
| S36 | 505 | S35 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:14 |
| S37 | 278 | S36 and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:14 |
| S38 | 2317 | determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3) and (re\$transmission or (repeat\$3 near3 transmission)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:13 |
| S39 | 744 | S38 and ("370".clas. or "370".cxr.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:39 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S41 | 606 | S39 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:40 |
| S42 | 302 | S41 and threshold | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:26 |
| S43 | 44 | S42 and ((compress\$3 or full) near3 packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:17 |
| S44 | 4 | S42 and (compress\$3 near3 header) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 16:57 |
| S45 | 67 | S29 and (retransmission same threshold) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:39 |
| S46 | 43 | S45 and ("370".clas. or "370".cxr.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 13:39 |
| S47 | 33 | S46 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 16:45 |
| S48 | 10 | S47 and header | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 14:47 |
| S49 | 0 | "09595256".ad. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 14:49 |
| S53 | 0 | "09595256".ap. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 14:49 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S54 | 2 | "595256".ap. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 14:49 |
| S55 | 4 | "598256".ap. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 16:35 |
| S56 | 2 | "5850526".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 16:36 |
| S57 | 2 | "4803685".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 16:36 |
| S58 | 4738 | determin\$4 with ((operating near2 state) or congest\$4or load\$3 or unload\$3) with network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 16:43 |
| S59 | 885 | S58 and ("370".clas. or "370".cxr.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/08 16:45 |
| S60 | 650 | S59 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 15:22 |
| S61 | 12 | S60 and (compress\$3 near3 (header or packet)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 07:19 |
| S63 | 21 | retransmission same moving adj2 average | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 14:43 |
| S65 | 192 | period same ((full or \$compressed) adj2 packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 15:55 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S66 | 127 | S65 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 14:56 |
| S67 | 518 | (re\$transmission adj2 rat\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 16:12 |
| S68 | 343 | S67 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 16:13 |
| S69 | 0 | f\$max\$period | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:13 |
| S70 | 31 | rhc2507 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:14 |
| S71 | 7 | S70 and retransmission | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:17 |
| S72 | 4 | S70 and congest\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:50 |
| S73 | 2 | "5293379".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:51 |
| S74 | 2 | "5446736".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:54 |
| S75 | 2 | "5579316".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:55 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S76 | 2 | "5627829".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:56 |
| S77 | 86 | compressed adj2 packet same period | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 09:56 |
| S78 | 59 | S77 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 11:00 |
| S82 | 16 | determin\$5 same period same (compressed adj2 packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 11:09 |
| S83 | 32 | (determin\$5 or set\$4) same period same (compressed adj2 packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 11:15 |
| S84 | 4 | establish\$3 same period same (compressed adj2 packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 11:16 |
| S85 | 2 | "5761438".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/13 12:18 |
| S86 | 552 | congest\$3 with compress\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 17:47 |
| S87 | 390 | S86 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 15:34 |
| S88 | 25 | congest\$3 with compress\$3 with header | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 19:39 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S89 | 10 | S88 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 15:39 |
| S90 | 2 | "6954460" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 15:29 |
| S91 | 17 | "6421720" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 15:30 |
| S92 | 799 | congest\$3 with header | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 15:39 |
| S93 | 599 | S92 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 17:47 |
| S94 | 40 | congest\$3 same (header near3 compress\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 16:18 |
| S95 | 21 | S94 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 16:18 |
| S96 | 46 | congest\$3 same (header near5 compress\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 16:22 |
| S97 | 25 | S96 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 16:22 |
| S98 | 84 | congest\$3 same (header same compress\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 16:22 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S99 | 56 | S98 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 19:39 |
| S10 1 | 357 | congest\$3 and (compress\$3 near3 header) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 17:47 |
| S10 2 | 244 | S101 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 19:01 |
| S10 3 | 12 | "6577596" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 19:01 |
| S10 4 | 254 | congest\$3 with (compress\$3 full) with (header packet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/15 07:01 |
| S10 5 | 162 | S104 and (@ad<="20020828" or @rlad<="20020828") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/14 19:39 |